

CHALLENGES OF CONVERTING SEAWEED TO PAINT AND DRESSES

SIG SEAWEED 7 CONFERENCE | DR. J.W. VAN HAL

TNO

WHO WE ARE?





Zcore: Seaweed Residues for Superior Bio-Coatings

▶ The ZCORE project is made possible by the European Regional Development Fund and the provinces of Noord-Brabant, Zeeland, and Limburg in the context of OPZuid.



European Union

European Regional Development Fund



Provincie Noord-Brabant

provincie limburg



► *The profitable way to bio-aromatics*

















Biomass residues & recycle streams


Effective conversion to biobased aromatics

Highly functional, renewable building blocks

► How we make bio-aromatics

Horizons	Feedstock	Conversion Technology	Bio-Aromatics	Applications
Sugar to Bio-Aromatics	 C5 Sugars/ Furfural	Diels-Alder		 
Lignin to Bio-Aromatics	 Lignin	Catalytic Depolymerization	Specialty €€€	 
Thermochemical Conversion of Biomass to Bio-Aromatics	  Biomass residues & Recycle streams	Pyrolysis Gasification	 Bulk €	   

► Seaweed biorefinery: Extraction - Batch reactor



- 30 kg dry seaweed (10 kg/batch)
 - 90 liters demineralized water / batch
 - 120°C
 - 2 hours
-
- Release sugars in oligomeric form
 - 22 g/kg Xylose


► Seaweed biorefinery: Extraction - Batch reactor



+ water washing:
maximize recovery of
sugars

► Seaweed biorefinery: Challenges & mitigations

- High acid requirements due to buffering capacity of seaweed
- Pre-washing as aid: Valorisation of side streams from washing, e.g. recovery of polysaccharides & minerals
- Other organics downstream: Tailoring downstream conditioning to further (biochemical/catalytic) processes








HEREWEAR GOAL: Enabling Local, Circular & Bio-based Textiles



CONSORTIUM



Producing pulp from wheat straw



- Strong variation in biomass composition: type, season, location, etc.
- Pre-extraction, fractionation conditions and ash removal need to be optimized each agricultural residue

Producing textiles




Cellulose from seaweed





Producing cellulose from seaweed

- Hydrocolloid industry
- Large amounts of underutilized cellulose-rich residues
- Red, brown and green seaweeds
- Ulva residue contained most cellulose



Not quite there yet



Herewear community

- Bring together like-minded actors over value chain
- Opportunities
 - Access to dedicated info
 - Contacts with broad network
 - Get involved in project activities
 - Direct access to platforms of Herewear partners

Herewear Community Member Space

Thematic Areas





This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 101000632.

Jaap W. van Hal, Ph.D.

Innovation Manager Biorefinery

T:+31 (0)88 866 26 52

M:+31 6 25382913

Jaap.vanhal@tno.nl



www.herewear.eu